

In accordance with UN GHS latest edition

Product: SPA CERAMIC DIFFUSER GS-CALM- Essential Oil 03SNGGS01

Version:

### Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

1

Product identifier:	SPA CERAMIC DIFFUSER GS-CALM- Essential Oil 03SNGGS01
Other identifiers:	None

#### 1.2 Relevant identified uses of the substance of mixture and uses advised against

- Product uses: Fragrances
- 1.3 Details of the supplier of the safety data sheet

Company name:	Ramesh Flowers Private Limited
Company address:	A-62(A), SIPCOT Industrial Complex Therku Veerapandiapuram Tuticorin – 628002 Tamil Nadu India
Contact:	Regulatory Affairs
E-Mail address:	ra@rameshflowers.com
Company phone:	(+)91 461 2340505
1.4 Emergency telepho	one number
Emergency phone:	(+) 91 9894372965

#### Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

Class and category of	Skin Corrosion / Irritation Category 2
danger:	Eye Damage / Irritation Category 2
	Sensitization - Skin Category 1
	Specific Target Organ Toxicity (Single Exposure) Category 3
	Hazardous to the Aquatic Environment - Acute Hazard Category 2
	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
	H315, Causes skin irritation.
	H317, May cause an allergic skin reaction.
	H319, Causes serious eye irritation.
	H335, May cause respiratory irritation.
	H411, Toxic to aquatic life with long lasting effects.

## 2.2 Label elements

#### Signal word: Warning



In accordance with UN GHS latest edition

SPA CERAMIC DIFFUSER GS-CALM- Essential Oil 03SNGGS01 **Product:** Version: 1 Hazard statements: H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H335, May cause respiratory irritation. H411, Toxic to aquatic life with long lasting effects. Precautionary P261, Avoid breathing vapour or dust. statements: P264, Wash hands and other contacted skin thoroughly after handling. P271, Use only outdoors or in a well-ventilated area. P272, Contaminated work clothing should not be allowed out of the workplace. P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water. P304/340, IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312, Call a POISON CENTRE or doctor/physician if you feel unwell. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse. P391, Collect spillage. P403/233, Store in a well-ventilated place. Keep container tightly closed. P405, Store locked up. P501, Dispose of contents/container to approved disposal site, in accordance with local regulations. **Pictograms:** Other hazards: None Section 3. Composition / information on ingredients 3.2 Mixtures **Contains:** 



# SAFETY DATA SHEET

In accordance with UN GHS latest edition

## Product: SPA CERAMIC DIFFUSER GS-CALM- Essential Oil 03SNGGS01

#### Version:

Name	CAS	EC	%	GHS Classification
Dipropylene glycol methyl ether acetate	88917-22-0	406-880-6	37.50%	Flam. Liq. 4-Skin Irrit. 2-Eye Dam. 2A- STOT SE 3;H227-H315-H319-H335
2-Isobutyl-4-methyltetrahydro-2H-pyran- 4-ol	63500-71-0	405-040-6	2.50%	Eye Dam. 2A;H319
alpha-Hexylcinnamaldehyde	101-86-0	202-983-3	2.50%	Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B- Aquatic Acute 1-Aquatic Chronic 2;H303- H316-H317-H400-H411
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2- benzopyran	1222-05-5	214-946-9	1.25%	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316-H410
3,7-Dimethyl-1,6-nonadien-3-ol	10339-55-6	233-732-6	1.25%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Dam. 2A-Aquatic Acute 3;H227-H303- H315-H319-H402
Benzyl salicylate	118-58-1	204-262-9	1.25%	Acute Tox. 5-Eye Dam. 2B-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3; H303-H317-H320-H401-H412
Butylated hydroxytoluene	128-37-0	204-881-4	1.25%	Aquatic Acute 1-Aquatic Chronic 1;H410
Eucalyptol	470-82-6	207-431-5	1.25%	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 3- Skin Sens. 1B:H226-H303-H316-H317
Geraniol	106-24-1	203-377-1	1.25%	Acute Tox. 5-Skin Irrit. 2-Eye Dam. 1- Skin Sens. 1-Aquatic Acute 3;H303- H315-H317-H318-H402
Linalool	78-70-6	201-134-4	1.25%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Dam. 2A-Skin Sens. 1B-Aquatic Acute 3; H227-H303-H315-H317-H319-H402
alpha-Methyl-1,3-benzodioxole-5- propionaldehyde	1205-17-0	214-881-6	1.25%	Acute Tox. 5-Skin Sens. 1B-Repr. 2- Aquatic Acute 2-Aquatic Chronic 2;H303- H317-H361-H411
cis-3-Hexenyl salicylate	65405-77-8	265-745-8	1.25%	Aquatic Acute 1-Aquatic Chronic 1;H410
Camphene	79-92-5	201-234-8	0.25%	Flam. Sol. 2-Eye Dam. 2B-Aquatic Acute 1-Aquatic Chronic 1;H228-H320-H410
alpha,alpha-Dimethyl-p- ethylphenylpropanal	67634-15-5	266-819-2	0.25%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H315-H317-H400- H411
alpha-Pinene	80-56-8	201-291-9	0.25%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2- Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H302-H304- H315-H317-H410
delta-3-Carene	13466-78-9	236-719-3	0.25%	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 2- Skin Sens. 1-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1;H226-H303-H304- H315-H317-H410
dl-Citronellol	106-22-9	203-375-0	0.25%	Acute Tox. 5-Acute Tox. 5-Skin Irrit. 2- Eye Dam. 2A-Skin Sens. 1B-Aquatic Acute 2;H303-H313-H315-H317-H319- H401
dl-Limonene (racemic)	138-86-3	205-341-0	0.25%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B- Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1:H226-H304-H315-H317-H410
p-tert-Butyldihydrocinnamaldehyde	18127-01-0	242-016-2	0.25%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2- Skin Sens. 1B-Repr. 2-STOT RE 2- Aquatic Acute 2-Aquatic Chronic 3;H227- H303-H315-H317-H361-H373-H401- H412

### Substances with Community workplace exposure limits, not listed above:

Name	CAS	EC	%
Butylated hydroxytoluene	128-37-0	204-881-4	1.25%



In accordance with UN GHS latest edition

Product: SPA CERAMIC DIFFUSER GS-CALM- Essential Oil 03SNGGS01

Version:

## Section 4. First-aid measures

#### 4.1 Description of first aid measures

1

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTRE or doctor/physician if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

May cause respiratory irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

## 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

## 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.



In accordance with UN GHS latest edition

Product: SPA CERAMIC DIFFUSER GS-CALM- Essential Oil 03SNGGS01

Version:

6.4 Reference to other sections:

1

Also refer to sections 8 and 13.

#### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

#### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	ppm	mg/m³	Referenc e
Putulated bydrawitaluana			Long-term exposure limit (8-hour TWA reference period)	-	10	UK EH40 Oct 2007
Butylated hydroxytoluene 128-37-0 204			Short-term exposure limit (15-minute reference period)	-	-	UK EH40 Oct 2007

#### 8.2 Exposure Controls

#### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### **Respiratory Protection**

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.



# SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: SPA CERAMIC DIFFUSER GS-CALM- Essential Oil 03SNGGS01

Version:

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odour:	Characteristic Odour
pH:	Not determined
Initial boiling point / range:	Not determined
Flash point:	94.8 °C
Vapour pressure:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined
9.2 Other information:	None available

#### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

#### 10.6 Hazardous decomposition products:

Not expected.

#### Section 11. Toxicological information

#### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

May cause respiratory irritation.



# SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: SPA CERAMIC DIFFUSER GS-CALM- Essential Oil 03SNGGS01

Version:

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity:>5000Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity:Not ApplicableAssumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity:Not AvailableInhalation Route:Not Available

Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

### Section 12. Ecological information

#### 12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:	Not available
12.3 Bioaccumulative potential:	Not available
12.4 Mobility in soil:	Not available

#### 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

#### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### Section 14. Transport information

14.1 UN number:	UN3082
14.2 UN Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, Butylated hydroxytoluene)
14.3 Transport hazard class(es):	9
Sub Risk:	-
14.4. Packing Group:	III
14.5 Environmental hazards:	This is an environmentally hazardous substance.
14.6 Special precautions for user:	None additional
14.7 Transport in bulk according to An	nex II of MARPOL73/78 and the IBC Code:

Not applicable



In accordance with UN GHS latest edition

Product: SPA CERAMIC DIFFUSER GS-CALM- Essential Oil 03SNGGS01

Version:

### Section 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

## **15.2 Chemical Safety Assessment**

1

A Chemical Safety Assessment has not been carried out for this product.

### Section 16. Other information

Concentration % Limits:	EH A2=32.26% EH A3=3.21% EH C2=48.78% EH C3=4.87% SCI 2=24. 24% SCI 3=2.31% EDI 2A=17.78% SS 1=40.00% STO-SE 3(RI)=53.33%
Total Fractional Values:	EH A2=3.10 EH A3=31.15 EH C2=2.05 EH C3=20.55 SCI 2=4.13 SCI 3=43.25 EDI 2A=5.63 SS 1=2.50 STO-SE 3(RI)=1.88

## Key to revisions:

Not applicable

#### Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 5	Acute Toxicity - Oral Category 5
Acute Tox. 5	Acute Toxicity - Dermal Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Dam. 2A	Eye Damage / Irritation Category 2A
Eye Dam. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
Flam. Sol. 2	Flammable Solid, Hazard Category 2
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H228	Flammable solid.
H302	Harmful if swallowed.
Н303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin.



# SAFETY DATA SHEET

In accordance with UN GHS latest edition

## Product: SPA CERAMIC DIFFUSER GS-CALM- Essential Oil 03SNGGS01

#### Version:

H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child (exposure route).
Н373	May cause damage to organs (organs) through prolonged or repeated exposure (exposure route).
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.



# SAFETY DATA SHEET

In accordance with UN GHS latest edition

## Product: SPA CERAMIC DIFFUSER GS-CALM- Essential Oil 03SNGGS01

#### Version:

P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Repr. 2	Toxic to Reproduction Category 2
STOT RE 2	Specific Target Organ Toxicity (Repeated Exposure) Category 2
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.